



Lazer Star Lights • 2734 Danley Court, Paso Robles, CA • 805.226.8200 • lazerstarlights.com


Part # 5702568 RGB iStar

GENERAL NOTES:

- * These instructions are also available on our website: lazerstarlights.com. Please check our website before you begin installation for any updated instructions as well as additional photos for your reference.

PARTS LIST:

- * RGB controller
- * (6) RGB iStar Pod Lights
 - * (2) with 5 meter leads
 - * (4) with 3.5 meter leads
- * (6) Backers with hardware



Parts / Tools Needed to Complete Installation:

- * Drill
- * 3/16" Drill Bit
- * 7/16" Drill Bit
- * 3mm Allen Wrench
- * 8mm End Wrench

APPROXIMATE INSTALL TIME: 2-4 hr

INSTALLATION:

1. Choose the location(s) for your RGB Pod lights to be mounted.
 - **NOTE:** There are 2 iStar Pod Lights that have longer leads (5 meters) and should be used for the lights that will be mounted furthest away from the controller.
2. Use the backer as a template and mark your two mounting holes.
3. If you are running the wire through the surface you are mounting to, mark that as well.
4. Either drill a hole using the 3/16” drill bit for your mounting holes, or use the self-tapping screw.
5. If you are running your wire through the mounting surface drill a 7/16” hole to accommodate.
6. Run your wire through the backer and install the light to your mounting holes using the supplied hardware.
7. Run your wires from the light to the controller being sure to keep them away from hot or moving parts.
 - **NOTE:** Be sure to secure the wires as you go to prevent them from coming loose or incurring damage.
8. Connect all the leads from the lights to the controller.
9. Mount the controller securely to a location of your choosing.
10. Run your switch to a convenient location of your choosing and mount it.
11. Hook the red wire up to the positive (+) side of your battery.
 - **NOTE:** If you wish to wire your iStar Pod lights so the lights go off when your key is turned off, hook the red wire up to the aux power.
12. Hook the Black wire up to the negative (-) side of your battery.
 - **NOTE:** If you are wiring your iStar Pod lights so the lights go off when your key is turned off, hook the black wire up to a chassis ground.
13. On your Bluetooth enabled device, download the “Happy Lighting” app from the app store and connect to your controller **OR** scan the QR code below to download the app and connect to your controller.



Lazer Star Lights
2734 Danley Court, Paso Robles CA 93446 • 805.226.8200
lazerstarlights.com



Picture 1

Use and Care Tips:

- * Be sure to mount wires securely and away from hot or moving parts.

Installation is Complete